

For Earth, For Life

Z

KUBOTA ZERO-TURN MOWER Z122R

The ultimate residential zero turn mower combining style, comfort and performance.



Introducing the ALL-NEW Z122R with 42"deck.



Introducing the all-new Z122R with 42" deck. Maneuver in and out of intricate spaces smoothly and with ease while delivering the power you need to get the job done quickly. The Z122R offers unmatched ergonomics and comfort to keep you working efficiently all day long at a powerfully affordable price.

21223









COMFORT / CONVENIENCE / STYLE



HIGH BACK SEAT

Soft and roomy, the high back seat will keep you comfortable even on those extra-long mowing jobs.



WIDE FOOT PAN

There's plenty of legroom up front, thanks to a wide foot pan. It also makes entry and exit a snap.



CUP HOLDERS

Keep your drink cup or tumbler always handy in the integrated cup holders.

EASY OPERATION



1/4" INCREMENT CUTTING HEIGHT ADJUSTMENT

A simple twist of a dial lets you adjust the cutting height in precise 1/4" increments.



ERGONOMIC CONTROL LAYOUT

All controls and indicators are neatly placed for quick, easy, user-friendly access.

WHEN PERFORMANCE COUNTS...

Kubota Z122R delivers. Their powerful engines, rugged transmissions and strong frames let you take on the toughest jobs with confidence and ease.



Mowing deck with smoother airflow and more powerful rotation.

PRO COMMERCIAL MOWER DECK

To ensure superior cutting performance, even at faster speeds, our newly developed, deeper mower deck utilises a flat design and our unique new baffling system, which forces grass through all three cutting blades. And, to meet the needs of varying job sizes, the ZD1211 mower deck is available in side and rear discharge versions.

ANTI-OVERFLOW SYSTEM

Kubota has enhanced the edges of the mower deck to reduce grass spillage and help keep lawns tidy, particularly in dry conditions.

NEW 5.5-inch Deep Mower Deck

DUMMY

NEW BAFFLE DESIGN

The Z122R's new baffle design improves air flow to discharge grass clippings, optimizing cutting performance.



SIDE DISCHARGE MOWER

DUMMY

MULCHING MOWER

New mulching kit (option)

The professional mulching kit converts the standard deck into a high-precision mulching deck that produces an even finer mulch and sends it straight back into the turf.

Specifications

Model			Z122R
Engine	Туре		Petrol, air-cooled V-Twin
	Horsepower (Net)	kW	14.1
	Total displacement	cc	726
	Fuel tank capacity	l	12.2
Dimensions	Overall length	mm	1890
	Overall width w/o discharge deflector	mm	1075
	Overall height	mm	1650
	Wheelbase	mm	1235
	Weight	kg	282
Tyre	Front		11 x 4 - 5 Smooth
	Rear		18 x 7.5 - 10 Turf
Travel speed	Forward	km/h	0-10.5
	Reverse	km/h	0-6.4
Transmission	Туре		Independent T/M
	Supplier and model		Hydro Gear EZT®(ZT-2200)
	T/M drive system		Belt Drive
	Speed control		2 hand levers with height and angle adjustment
	Parking brake system		Cog Lock / Hand Lever
Mower deck	Cutting width	cm / inch	107 / 42
	Discharge		Side (Mulching kit available as option)
	Cutting height ranges	mm / inch	38 - 108 / 1.50 - 4.25
	Cutting height increments	mm / inch	6/0.25
	Deck pan depth	mm / inch	114 / 4.5
	Deck pan thickness	Ga. / mm	11 / 3.0
	Deck construction		Fabricated
	Mower location		Mid mount
	Mounting method		Parallel linkages
	Adjustment of cutting height		Dial adjustment system
	Mower deck lifting method		Mechanical Foot Lift Pedal
	Driving method		Belt Drive
	Number of Blades		2
	Washport		
uel gauge			Sight Window type
Seat			18inch Deluxe High Back Seat
ROPS			Standard. ISO21299
PTO clutch			Electric
Cup holder			Standard
Hour meter			Standard
			4 years / 300 hours

The company reserves the right to change the above specifications without notice.

This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional, and not standard equipment. Please contact your local Kubota dealer for warranty, safety or product information.





KUBOTA (U.K.) LIMITED

Dormer Road Thame, Oxfordshire, OX9 3UN. Phone (01844) 268000 Fax (08702) 429677

Web site: http://www.kubota.co.uk