

S66 S76



INTRODUCTION

▶ BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

▶ CONTINUOUS INNOVATION

New technologies and machines are rigorously tested in our innovation facilities to take on the toughest jobs.



BOBCAT TODAY

With over 60 years of experience in manufacturing and continuously improving the world's most popular loaders, we've shipped over 1 million machines to the market. Our loaders are synonymous with high performance, reliability and unmatched comfort.

OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.



B4501700-EN (11-20)

PERFORMANCE AND AGILITY MEET SMART TECH

TOUGHNESS MEETS INNOVATION

Using decades of experience developing the toughest loader on the planet, we added a host of improvements and smart technology to increase durability, boost performance, and bring first-class comfort to the all-new R-Series loaders.

LED lights with optional Premium LED without compromising durability with corner view Clear-view cab option for advanced visibility Auto Ride Control option brings lift arms dampening effect Cast steel arms for better visibility while keeping the outstanding durability Improved cooling for improved performance and reliability Compatible with a full range of over 100 attachments thanks to standardized Bob-Tach™ technology Robust transmission with the proven Attachments are automatically design of the maintenance-free drive leveled when moving up or chains down thanks to dual bucket positioning One-piece cast upgraded Bob-Tach $^{\!\mathsf{TM}}$ with integrated debris shredder



▶ AGILE AND STRONG

Outstanding lift capacity with high pushing and breakout forces, complemented by excellent machine agility.



BUILT TOUGH

One-piece cast steel loader arms and upgraded Bob-Tach™ with integrated debris shredder are designed for the most challenging conditions.



▶ FIRST CLASS COMFORT

Optional side LED lights

Connectivity options and soundproof cab make staying in touch easy, while longer wheel base delivers a smoother ride.



Optimized design for greater visibility

▶ IMPROVED VISIBILITY

New cab construction is optimized for maximum visibility, further expandable by clear-view cab or rear-view camera options.

S66-S76 Brochure 5

POWER WHERE YOU NEED IT



▶ AGILE AND POWERFUL

Bobcat loaders have always been made to go where the work is. They are renowned for their compact size, maneuverability and smooth controls – but Bobcat never stops innovating. Each generation of machines is stronger, faster and more durable than the last. Together with our legendary attachments, R-Series loaders take productivity even further and are ready to conquer any challenge.



OUTSTANDING PERFORMANCE

▶ IMPROVED COOLING

The R-Series cooling system is completely redesigned for optimal operation and uptime. The fan is almost 50% bigger and comes with a reversible option, increasing productivity in dirty conditions.

▶ INCREASED LIFTING CAPABILITIES

Thanks to the longer wheelbase and a perfect balance between weight and horsepower, the R-Series features outstanding stability and enough lift capacity for any job site.







STEP INSIDE



▶ CLEAR-VIEW CAB

The optional clear side enclosure adds thick polycarbonate side windows with abrasion-resistant coating – maximizing your visibility and ensuring the best possible view of tracks and corners.



▶ INTUITIVE TOUCH CONTROLS



Take control of all settings with the optional glove-sensitive 7-inch display. New display is waterproof and scratch resistant.

▶ ADVANCED CONNECTIVITY




Connect your phone – thanks to the integrated Bluetooth – and enhance your comfort during calls or play your favorite music.

▶ PERFECT SEAT



Comfortable suspension seat as a standard and optional cloth heated air-ride seat for maximum comfort all day – and all year – long.



SERVICEABILITY & WARRANTY

BUILT TO LAST

OUTSTANDING UPTIME

R-Series loaders feature an extremely durable transmission with welded axle carrier and proven maintenance-free drive chain. It's unibody steel frame with integrated chain case makes the machines suitable for daily work in the most demanding environments, such as demolition sites and other industrial applications.

With a special focus on uptime, the R-Series features many small improvements that minimize maintenance and protect your machine: self-diagnostics, machine shutdown protection, battery run-down protection, cold weather protection, improved lubrication and access to greasing points, improved protection of hoses, and more.

EXTENDED SERVICE INTERVALS

R-Series loaders feature a new fuel filter with more than double the media surface area, protecting the system even better and greatly extending the life of the filter. The improved engine design also significantly lengthens the air filter's life. This and other features allow you to improve efficiency and reduce operating costs, thanks to extended service intervals. Bobcat recommends first service after 500 hours of operation.





MACHINE 10

BOBCAT® Machine IQ Wireless Communications enhances the support for your Bobcat machine.

- Durable built-in monitoring electronics
- Data is available to our machine monitoring specialist
- Maintenance is optimized for your business
- Data-driven services maximize uptime

STANDARD WARRANTY

Bobcat develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2000 operating hours (whichever occurs first) of coverage.



THERE'S NO TIME FOR DOWNTIME. STAND UP TO THE HARSHEST CONDITIONS. DAY AFTER DAY.





▶ PROTECTION PLUS EXTENDED WARRANTY

Enjoy total peace of mind with Protection Plus® extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours. According to your needs, you can benefit from the coverage for up to 5 years or 6000 engine hours. And Protection Plus is transferrable – so it will likely increase your machine's resale value.



▶ BOBCARE

A long-running machine starts with proper planned maintenance, which helps protect against repair costs and unplanned failures when you're counting on your machine to work.

- Avoid risk by preventing major repairs and complete failures.
- Accomplish more by reducing downtime and increasing your productivity and profitability.



S66

COMPACT YET POWERFUL

Despite its compact footprint, the S66 offers a surprising amount of power with a lift capacity of 1165 kg while running on the same reliable engine as the S76.



▶ PUNCH IN A COMPACT FRAME



CHOOSE YOUR ANIMAL



▶ THE POWER TO TACKLE EVERY JOB



S66-S76 Brochure 13

STANDARD EQUIPMENT





POR BOTH MACHINES

- 3-point seat belt
- 5" Deluxe instrumentation (radio ready)
- Adjustable suspension seat
- Auxiliary hydraulics: variable flow/maximum flow
- Backup alarm
- Bob-Tach™ attachment system
- Bobcat Interlock Control System (BICS)
- Deluxe pressurized cab with HVAC
- Dual Direction Bucket Positioning (including ON/OFF switch)
- Engine/hydraulics system shutdown
- High flow hydraulics
- Horn
- Key start
- LED working lights front and rear
- Lift arm support
- Machine IQ (telematics) Operating manual
- Parking brake
- Seat bar
- Selectable Joystick Controls (SJC)
- Spark arrestor muffler
- Two speed travel
- Warranty: 24 months or 2000 hours (whichever occurs first)

▶ FOR S66

• 10 × 16.5, 10-ply, heavy-duty tires

OPTIONS

 10×16.5 , 10-ply, heavy-duty tires, offset rims

 12×16.5 , 10-ply, heavy-duty tires, offset rims

 10×16.5 , 10-ply, severe-duty tires

 $31 \times 12 \times 16.5$, 10-ply, super float tires

 12×16.5 , 10-ply, severe-duty tires

10 × 16.5, Solid Flex tires

 12×16.5 , solid flex tires 14-pin attachment control kit 200 lbs (74.4 kg) counterweight kit 300 lbs (111.9 kg) counterweight kit

4-way flasher kit 7" touch display Auto HVAC

Auto Ride Control

Beacon Clear-view cab Engine block heater kit Fire extinguisher kit

FOPS kit * Four-point lift kit

Keyless kit

Radio

Reversible fan

Road kit

Strobe

Reversing camera

Single-point lift kit

Tail light guard kit

Front axle counterweight kit

Manual hand and foot controls

Rear auxiliary hydraulic kit

Special applications front door kit

Premium LED lights (with corner view)

Heated cloth air ride seat with 3 point seat belt

Headlight guard kit

LED side lighting kit Lexan rear window kit

Power Bob-Tach™

▶ FOR S76

• 12 × 16.5, 10-ply, heavy-duty tires

*Roll Over Protective Structure (ROPS) - meets requirements of SAE-J1040 and

▶ PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your loader to your heart's content!







7" touch display

S76

•

Auto HVAC

Auto Ride Control







Headlight guard kit

Lexan rear window kit







LED side lighting kit

Power Bob-Tach™

Premium LED lights (with corner view)







S66-S76 Brochure 15

Reversible fan

Reversing camera

Tail light guard kit

ISO 3471; Falling Object Protective Structure (FOPS) - meets requirements of SAE-J1043 and ISO 3449, Level I

14

MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Get more versatility and efficiency with Bobcat attachments.

- The largest choice of attachments in the industry.Match performance to your Bobcat machine.

Contact your dealer for actual attachment compatibility.

- Work harder with stronger components and construction.
- Rest easy with the 12-month warranty on every genuine Bobcat attachment.





Angle brooms

Box blades





Breakers

Brush saws

Drop hammers



Actual attachment compatibility may vary based on different machine configurations.









Landplanes



Forestry cutter





Tillers





Pallet forks Root grapples





Laser graders







Stump grinders

ATTACHMENTS		
	S66	S76
Angle brooms	•	•
Augers	•	•
Backhoes	•	•
Bale forks	•	•
Box blades		•
Breakers	•	•
Brushcat™ rotary cutters	•	•
Brush saws	•	•
Combination buckets	•	•
Concrete mixers	•	•
Construction / industrial buckets	•	•
Diggers	•	•
Dozer blades	•	•
Drop hammers		•
Dumping hoppers	•	•
Fertilizer and grain buckets	•	•
Flail cutters	•	•
General purpose (GP) bucket	•	•
Graders	•	•
Grapples, industrial	•	•
Landplanes	•	•
Landscape rakes	•	•
Laser equipment	•	•
Low profile buckets	•	•
Mixing buckets		•
Mowers	•	•
Pallet forks	•	•
Remote control	•	•
Root grapples	•	•
Scarifiers	•	•
Scrapers	•	•
Skeleton buckets	•	•
Snow & light material buckets	•	•
Snow blades, pushers, V-blades	•	•
Sod layers	•	
Soil conditioners	•	•
Spreaders	•	
Steel tracks		
Stump grinders		•
Sweepers	•	•
Tillers	•	
	•	•
Tree transplanters		-
Trench compactors		•
Utility forks	•	•
Vibratory rollers	•	•
Whisker brooms	•	•

MULTI-TOOL CARRIER

16 S66-S76 Brochure **17**

SPECIFICATIONS

SPECIFICATIONS			
	S66	S76	
MACHINE RATING			
Tipping load (ISO 14397-1)	2359 kg	2722 kg	
Rated operating capacity (ISO 14397-1)	1184 kg	1367 kg	
Pump capacity std flow (at pump RPM)	66.5 L/min	88.1 L/min	
Pump capacity high flow (at pump RPM)	101.8 L/min	114.7 L/min	
System relief at quick couplers	23.8-24.5 MPa	23.8-24.5 MPa	
Travel speed (low)	11.8 km/h	10.9 km/h	
Travel speed (high)	17.3 km/h	19 km/h	
Lift arm path	vertical		
DIMENSIONS			
Length with standard bucket	3427 mm	3737 mm	
Width over standard bucket	1727 mm	1880 mm	
Height with operator cab	2045 mm	2079 mm	
Height to bucket hinge pin	3048 mm	3259 mm	
Wheelbase	1133 mm	1227 mm	
ENGINE			
Make / Model	Bobcat 2.4L, 9	77/68 EC Stage V	
Fuel	Di	esel	
Cooling	Li	quid	
Power at 2600 RPM (ISO 14396)	54.	5 kW	
Torque at 1800 RPM (ISO 14396)	266.3 Nm	283.9 Nm	
Number of cylinders		4	
Displacement	240	0 cm ³	
Fuel tank capacity	93.7 L	120 L	
WEIGHTS			
Operating weight*	3271 kg	4038 kg	
Shipping weight	2939 kg	3597 kg	
ENVIRONMENTAL			
Operator LpA(98/37 & 474-1)	80	dB(A)	
Noise level LWA(EU Directive 2000/14/EC)	103	dB(A)	
Whole body vibration (ISO 2631–1) High speed	0.8	3 ms ⁻²	
Hand-arm vibration (ISO 5349-1) High speed	2.8	3 m ^{s-2}	
FORCES			
Lift breakout force	2200 daN	2608 daN	
Tilt breakout force	2440 daN	2654 daN	
Push Force	2758 daN	-	
CYCLE TIMES			
Raise lift arms	3.8 s	3.9 s	
Lower lift arms	2.5 s	2.6 s	
Bucket rollback	1	.7 s	
Bucket dump		.3 s	

^{*}Base machine with bucket, operator and full fuel tank

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

SPECIFICATIONS

DIMENSIONS

	S66	S76
A Operating height	3910	4252
B Height with operator cab	2045	2079
C Angle of departure	25°	27°
D Ground clearance	214	235
E Wheelbase	1133	1227
F Length without attachment	2718	2893
G Length with standard bucket	3427	3737
H Rollback at ground position	30°	30°
Dump height with standard bucket	2396	2526
J Height to bucket hinge pin	3048	3259
K Dump reach at maximum height	803	950
L Dump angle at maximum height	37°	37°
M Rollback fully raised at maximum height	t 94°	94°
N Width over standard bucket	1727	1880
O Turning radius with standard bucket	2033	2228
P Track, standard tires	1407	1584
Q Width over standard tires	1642	1829





150 ATTACHMENTS 63 MACHINES 1 TOUGH ANIMAL



DESIGNED TO DO MORE

Bobcat offers the widest range of attachments for all your needs in Construction, Landscaping, Agriculture, Road, Material Handling and Forestry,.





COMPACT TRACK LOADERS



LOADERS







COMPACT EXCAVATORS



ROTARY TELESCOPIC HANDLERS





Bobcat is a Doosan Company.

Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. I Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries.

©2020 Bobcat Company. All Rights Reserved.

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply

